


ATC

CAST • CATCH • CONQUER

2026







Introduction

In 2001, ATC as a mid-range premium fishing tackle brand, crafted to meet the needs of increasingly sophisticated anglers. We strived to build the best of fishing tackle that were engineered to perform optimally at an affordable price, without compromising on the quality of the components or workmanship.

Fifteen years on, ATC has expanded its product range to include premium mid-range fishing reels that feature design and construction elements, often found in high end reels. A stringent manufacturing process combined with precise calculation and high quality materials ensure that the reels are built both tough and smooth.

An accompanying range of accessories that include jigs, tackle cases and apparel are also available to enhance your angling experience with ATC, as you embark on your angling journey to cast, catch and conquer.

Casting




JUDGEMENT 300 / 301

The JUDGEMENT is a 300-sized low-profile baitcasting reel designed to take on the hardest-fighting fish. Its larger profile houses upsized magnesium brass gears that are robust, durable, and corrosion-resistant. The multi-disc drag system delivers a smooth, consistent, and powerful drag range of up to 15kg.

The main body is built with a coated aluminium alloy frame, paired with a highly durable graphite composite side cover. The JUDGEMENT also features an enhanced magnetic braking system for optimal casting control. A deep spool provides ample capacity for thicker PE lines (0.33mm – 250m, 0.40mm – 160m), while the extended 130mm handle offers greater cranking leverage. With an all-round gear ratio of 6.5:1, it's ideal for both lure casting and offshore fishing — and comes complete with a power handle.


Features

- Built to handle high-drag applications
- Corrosion-resistant internals and body construction
- Up to 15kg of drag pressure
- Enhanced magnetic braking for optimal casting performance
- Magnesium brass gears for strength and longevity
- Multi-disc drag system for smooth, powerful control
- 9+1 stainless steel ball bearings
- 6.5:1 gear ratio
- Extended 130mm handle with large EVA knobs
- Power handle included for offshore fishing



Power handle

MODEL	RATIO	LINE CAPACITY	BALL BEARING	MAX DRAG	WEIGHT
JUDGEMENT 300 (Right Handle)	6.5:1	0.33mm/250, 0.40mm/160m	9+1	18kg	339g
JUDGEMENT 301 (Left Handle)	6.5:1	0.33mm/250m, 0.40mm/160m	9+1	18kg	339g



Casting

KRAVEN

The ATC KRAVEN was developed as a true 100 sized baitcaster that is built for saltwater usage. Constructed with an extremely strong graphite composite frame and precision engineered aluminium internals, as well as the CNC aluminium drive gear, the KRAVEN is practically made to withstand and perform in the harsh and corrosive saltwater environment. The spool and handle are also crafted from CNC Aluminium which also provides a high level of corrosion resistance and durability while keeping it lightweight, while the full EVA knobs provide control and comfort when handling. Its 6+1 stainless steel ball bearings also offer an overall smooth cranking experience, and provides easy distance on the cast. The Kraven features a 7kg drag pressure, which makes it perfect for 10-30lb braid / PE lines that is paired with a Medium to Heavy outfit. It is available in 6.6:1 and 8.1:1 gear ratios.

Features

- High-strength Graphite Frame And Side Plates
- CNC Precision Crafted Aluminium Gears, Spool And Handle
- 7kg Drag Pressure
- Easy Cast Magnetic Braking System

MODEL	RATIO	LINE CAPACITY	BALL BEARING	DRAG RANGE	WEIGHT
014KVN100	6.6:1				
014KVN101	6.6:1	0.12mm/10lb BRAID - 210m			
014KVN100XH	8.1:1	0.16mm/15lb BRAID - 150m	6+1	7kg	194G
014KVN101XH	8.1:1	0.20mm/20lb BRAID - 100m			

Casting




Corrosion Resistant Aluminium Frame & Side Plate



Magnetic Braking System & Multi Disc Drag System



Ergonomic Padded EVA Knobs



Long Casting Spool Included



Jiggling Handle With Power Knob



"Open-Frame V Shaped" Line Guide

COMBAT V2

Maintaining its superior built that combats the toughest fighting predatory species, the ATC Combat V2 is upgraded. Featuring an open-frame 'V' shaped line guide that reduces resistance of the line at high drag, and increasing casting distance. Fitted with a more robust brass material for its gears, and maintaining its corrosion resistant aluminium frame and side plate, as well as the multi-disc drag system that has a drag range of 10-12kg depending on the spool used. It includes two lightweight aluminium spools in both shallow and deep capacity and a magnetic braking system, which ensures a consistency in casting distance and accuracy. The 10+1 ball bearings system further enhances the reel's all-round smoothness. Also includes a power handle for offshore usage.

Features

- Corrosion resistant aluminium body and side cover
- Up to 12kg drag force
- Improved line guide: "Open-Frame V Shaped" line guide for smoother drag and casting
- Enhanced magnetic braking system
- Super robust brass alloy material main gear and pinion gear
- Multi disc drag system with carbon washers
- 10+1 Stainless Steel Ball bearing System
- Shallow Spool for long cast included
- Power Handle for offshore usage included

MODEL	RATIO	LINE CAPACITY	SHALLOW SPOOL	BALL BEARING	DRAG RANGE	LINE CRANK
014CBPV2200	7.0:1	0.28/210, 0.33/160 mm/m	0.20/210, 0.25/100 mm/m	10+1	12kg	76cm
014CBPV2201	7.0:1	0.28/210, 0.33/160 mm/m	0.20/210, 0.25/100 mm/m	10+1	12kg	76cm

COMBAT PLUS

The ATC Combat Plus is built to take on some of the toughest fighting predatory species. Featuring a corrosion resistant aluminium frame and side plate, the Combat plus is equipped with a multi disc drag system that has a drag range of 10-12kg. A lightweight aluminium spool and a magnetic braking system ensure consistency in distance and accuracy with every cast. The 10 + 1 ball bearing system further enhances the reel's all- round smoothness. Comes with a spare ultra-long cast shallow spool and jigging handle for all round application.

Features

- Corrosion Resistant Aluminum Body & Side Cover
- Light Weight Aluminum Spool
- Multi-Disc Drag System
- 10+1 Ball Bearing System
- Ergonomic EVA Knobs
- Jigging Handle With Power Knob Included
- Long Cast Spool Included

Model	Retrieve	Gear Ratio	Line Capacity	Shallow Spool	Ball Bearing	Drag Range	Line/Crank	Weight
014CBP200	RIGHT	7.0:1	0.28/210, 0.33/160 mm/m	0.20/120, 0.25/100 mm/m	10+1	12 kg	76 cm	265 g
014CBP201	LEFT	7.0:1	0.28/210, 0.33/160 mm/m	0.20/120, 0.25/100 mm/m	10+1	12 kg	76 cm	265 g




Corrosion Resistant Aluminium Frame & Side Plate



Magnetic Braking System



Ergonomic Padded Rubber Knobs and Multi Disc Drag System



Long Casting Spool Included



Jigging Handle With Power Knob

Casting

Casting



Corrosion Resistant Carbon Fibre Frame And Side Plates



Enhanced Magnetic Braking System



Multi Disc Drag System



Open-frame V Shaped Line Guide System



Standard Spool Included



Bait Finesse System Spool Included

COMBAT CF

BFS

The ATC Combat CF is ATC's newest light bait casting reel. Weighing in at 160g, the ATC Combat CF features an open frame 'V' shaped line guide for smoother drag and enhance casting distance. It includes two ultra-lightweight spools for Bait Finesse and a standard spool for medium-medium heavy rods. Constructed with a carbon fiber body and handle, the ATC Combat CF is equipped with an ultra-smooth multi disc drag system that provides up to 5kg of drag force, and an enhanced magnetic braking system for optimum casts. The 9+1 stainless steel ball bearing system further enhances the reel for a super smooth cranking and all-round smoothness to the reel's performance.

Features

- Carbon fibre body and handle
- Up to 5kg drag force
- Drag Clicker
- Improved line guide: "Open-Frame V Shape" line guide for smoother drag and casting
- Enhanced magnetic braking system
- Multi disc drag system
- 9+1 Stainless Steel Ball Bearing System
- Bait Finesse System Spool Included
- Standard Spool included

Model	Retrieve	Gear Ratio	BFS Spool	Standard Spool	Ball Bearing	Drag Range	Line/Crank	Weight
014CBCF50	RIGHT	6.6:1	0.14/125, 0.16/100, 0.20/70 mm/m	0.28/120, 0.30/100, 0.33/80 mm/m	9+1	5 kg	68 cm	160 g
014CBCF51	LEFT	6.6:1	0.14/125, 0.16/100, 0.20/70 mm/m	0.28/120, 0.30/100, 0.33/80 mm/m	9+1	5 kg	68 cm	160 g

Casting

COMBAT 100/101

The ATC Combat 100/101 is ATC's newest bait caster, built with a perfect balance between lightweight and power. Weighing in at 180g, the ATC Combat 100/101 is built with a ultralight aluminium frame and body, and includes a super lightweight aluminium spool with a deep capacity, allowing usage in both fresh and saltwater. It features an ultra smooth multi-disc drag system that provides up to 9kg of drag force and a 9+1 stainless steel ball bearing system for super smooth cranking and all round smoothness to the reels performance.

Features

- Super Lightweight Aluminium Spool With Deep Capacity
- Ultra Lightweight Aluminium Body
- 9+1 Stainless Steel Ball Bearing
- 7.3+1 Gear Ratio
- Max Drag Up To 9kg
- Suitable For Use In Both Fresh And Saltwater

MODEL	RETRIEVE	RATIO	LINE CAPACITY	BALL BEARING	MAX DRAG	WEIGHT
014CB100	RIGHT	7.3:1	0.285(PE 3) - 190m	9+1	9kg	180g
014CB101	LEFT					

Casting



Signature Atc
V-shaped Line
Guide



CNC Aluminum
Spool



Hybrid Ceramic Cast Bearings

VULTURE 80/81

The Vulture is ATC's newest low profiled baticasting reel. Available in both left and right retrieves, the Vulture's main body is constructed with T6061 aircraft grade aluminium and a fibreglass composite material, and is designed with maximum performance and function in mind. Internally, it features a hyper forged copper alloy main gear that provides extremely smooth cranking design, and a 6kg carbon drag system. Right out of the box, it comes equipped with hybrid ceramic casting bearings which allows the Vulture to achieve unprecedented distances, as well as a carbon swept handle with customised EVA knobs. The Vulture also features the ATC's signature V-Shaped line guide to further aid in casting distance and efficient drag system. The 7+1 ball bearing gives the overall reel a smooth performance. With a gear ratio of 7.3:1, it is an all round reel that is relatively smaller profiled for an 80 size. Suitably matched with a ML-MH outfit and has decent line capacity of 0.285 / 150m that can be used in both saltwater and freshwater.

Features

- 6KG DRAG PRESSURE
- 1+1 HYBRID CERAMIC CAST BEARINGS
- SIGNATURE ATC V-SHAPED LINE GUIDE
- 7.3:1 GEAR RATIO, TOTAL 7+1 STAINLESS STEEL BALL BEARING
- CARBON SWEEP HANDLE WITH EVA KNOBS
- T6061 AIRCRAFT GRADE ALUMINIUM BODY
- HYPER FORGED COPPER ALLOY MAIN GEAR

MODEL	RATIO	LINE CAPACITY	BALL BEARING	MAX DRAG	WEIGHT
014VULT80	7.3:1	0.240 / 170m, 0.285 / 150m	1+1 HYBRID CERAMIC BEARING	6 kg	183 g
014VULT81			7+1 STAINLESS STEEL BEARING		



Overhead

CLOUT

The CLOUT, ATC's latest offshore overhead reel, is designed for durability and corrosion resistance. It is made with high-quality T6061 aircraft grade aluminium for its body and handle. Inside, it features hyper-forged brass drive gears, providing powerful and stable cranking performance. The anti-reverse assembly includes a docking system, providing a 100% anti-reverse cranking experience in the harshest conditions. The reel includes an aluminium alloy spool and a smooth carbon drag system, with 8+1 ball bearings ensuring a smooth feel overall.

The CLOUT is available in a high-speed gear ratio for both left and right retrieves. It is suitable for medium jigging outfits and perfect for slow jigging outfits and has good line capacity at PE2-500m.

Features

- T6061 AIRCRAFT GRADE BODY AND HANDLE
- HYPER FORGED BRASS GEARS
- 12KG CARBON DRAG SYSTEM
- DOCKING ANTI-REVERSE SYSTEM
- 8+1 STAINLESS STEEL BALL BEARINGS

MODEL	RATIO	LINE CAPACITY	BALL BEARING	MAX DRAG	WEIGHT
CLOUT 15H	6.2:1	PE 2 -500m PE 2.5 - 400m PE 3 - 320m	8+1 Stainless Steel Ball Bearings	12 kg	390 g
CLOUT 15HL	6.2:1	PE 2 -500m PE 2.5 - 400m PE 3 - 320m	8+1 Stainless Steel Ball Bearings	12 kg	390 g


Spinning



Rigid 100% Aluminium Handle & Knob



Machined 6061-T6 Aircraft Grade Aluminium Rotor and Body



100% Waterproof Body

VIGILANCE

BIG GAME SPINNING REEL

SW5000/5000H

Incorporating the latest reel technologies, the ATC VIGILANCE is constructed and designed for big game fishing, built to take on monster predators and prolonged saltwater usage. It features a 100% waterproof body, preventing water from entering the gear system and has ATC's super dual drag system which applies pressure from the top and bottom of the spool, providing a powerful and smooth drag. Built with high grade corrosion resistant aluminium body and rotor, and equipped internally with a forged hyper gear to give it a effortless retrieval. The 12+1 stainless steel ball bearings adds an all-round smooth feel to the reel.


Features

- 100% Waterproof body
- 12+1 Stainless Steel Ball Bearing
- Dual Drag System
- High Grade CNC Corrosion Resistant 6061-T6 Aircraft Grade Aluminium Body and Rotor
- High Grade CNC 6061-T6 Aircraft Grade Aluminium Spool
- Forged Brass Drive and Pinion Gear
- Mechanical Anti Reverse System


MODEL	RATIO	LINE CAPACITY	BALL BEARING	MAX DRAG	WEIGHT
014VGLSW5000	4.9:1	PE2/520m, PE3/380m, PE4/260m	12+1BB	20kg	450g
014VGLSW5000H	5.7:1	PE2/520m, PE3/380m, PE4/260m	12+1BB	20kg	450g



Rigid 100% Aluminium
Handle & Knob



High Grade Aluminium Spool



Aircraft Grade Aluminium Body

Spinning

VIGILANCE

BIG GAME SPINNING REEL

SW3000/3000H


The smaller of the ATC VIGILANCE series of reels for lighter tackle usage. Proven with its bigger counterparts, the VIGILANCE 3000 retains its construction with the high quality full 6061-T6 aircraft grade aluminium that is used on the body and rotor that makes it extremely corrosion resistant, as well as the double anodised spool. The signature ATC dual drag system is also a key feature in the VIGILANCE 3000 models that provide a powerful and smooth drag, and is equipped internally with a forged hyper brass gear for extreme performance and a smooth retrieve. The 10+1 stainless steel ball bearings adds an all round smoothness and increased performance when using this high end salt water spinning reel. Available in normal and high speed retrieval ratios.

Features

- Signature ATC Dual Drag System
- Constructed with High Grade 6061-T6 Aircraft Grade Aluminium
- Forged Hyper Brass Gear on pinion and drive gears
- Mechanical Anti Reverse System
- Double Anodised Spool
- Extreme corrosion resistance for saltwater usage
- Machined aluminium on handle and knob

MODEL	RATIO	LINE CAPACITY	BALL BEARING	MAX DRAG	RETRIEVE RATE	WEIGHT
014VGLSW3000	5.2:1	PE1.5/430m, PE1.5/300m, PE2/220m	10+1BB	18kg	75cm	269g
014VGLSW3000H	6.2:1	PE1.5/430m, PE1.5/300m, PE2/220m	10+1BB	18kg	75cm	269g


Spinning



Rigid 100% Aluminium Handle & Knob



High Grade Aluminium Spool



100% Waterproof Body

VIGILANCE

BIG GAME SPINNING REEL

SW16000/16000H

Incorporating the latest reel technologies, the ATC VIGILANCE is constructed and designed for big game fishing, built to take on monster predators and prolonged saltwater usage. It features a 100% waterproof body, preventing water from entering the gear system and has ATC's super dual drag system which applies pressure from the top and bottom of the spool, providing a powerful and smooth drag. Built with high grade corrosion resistant aluminium body and rotor, and equipped internally with a forged hyper gear to give it an effortless retrieval. The 12+1 stainless steel ball bearings adds an all-round smooth feel to the reel.

Features

- 100% Waterproof Body
- 12+1 Stainless Steel Ball Bearing
- Dual Drag System
- High Grade Aluminium Spool
- Mechanical Anti Reverse System
- High Grade Corrosion Resistant Aluminium Body And Rotor

MODEL	RATIO	LINE CAPACITY	BALL BEARING	MAX DRAG	WEIGHT
014VGLSW16000	5.0:1	PE4/520mm, PE5/430mm, PE6/350mm	12+1BB	30kg	696g
014VGLSW16000H	5.7:1	PE4/520mm, PE5/430mm, PE6/350mm	12+1BB	30kg	696g



CNC Aluminum Spool & Handle



Light Weight Graphite Body & Rotor



Light Weighted Handle Knobs



Spinning

VANDAL

The ATC Vandal caters to different fishing applications from Ultra-light to Heavy Casting. Constructed and designed with a wide range of sizes, it features a CNC aluminum spool and handle for enhanced durability and is constructed with graphite body as well as the rotor to keep the Vandal strong yet light in weight. It is equipped with copper pinion gear paired with zinc alloy drive gear to keep this reel rugged, and a multi-disc drag system to give the reel a smooth touch to its drag, and a 6+1 stainless steel ball bearing system adds an all-round smooth feel to the reel.

Features

- CNC Aluminum Spool & Handle
- Light Weight Graphite Body & Rotor
- Multi Disc Drag System
- Light Weighted Handle Knobs
- 6+1 Stainless Steel Ball Bearing System

Model	Gear Ratio	Line Capacity	Bearing	Max Drag	Weight
014VADL1000	5.2:1	0.18mm/220m, 0.20mm/180m, 0.26mm/160m	6+1BB	6kg	240 g
014VADL2000	5.2:1	0.20mm/230m, 0.23mm/170m, 0.28mm/100m	6+1BB	6kg	247 g
014VADL3000	5.2:1	0.28mm/185m, 0.30mm/160m, 0.35mm/130m	6+1BB	6kg	286 g
014VADL4000	5.2:1	0.30mm/205m, 0.35mm/175m, 0.40mm/130m	6+1BB	6kg	295 g
014VADL5000	4.9:1	0.35mm/240m, 0.40mm/180m, 0.45mm/140m	6+1BB	6kg	418 g
014VADL6000	4.9:1	0.40mm/220m, 0.45mm/175m, 0.50mm/140m	6+1BB	6kg	431 g



Rigid body and new spool design



EVA knob included on 2000 to 5000 sizes



Aluminium knob included in 8000 and above sizes



Spinning

VIRTUOUS

The ATC Virtuous incorporate some of the latest technology built to take on the toughest fighting predatory species and prolonged usage. Featuring a dual drag system which applies pressure from both the top and bottom of the spool for a more powerful but smooth drag when going against monsters. Constructed with aluminum body, rotor and spool which is renowned to be light yet tough enough to withstand prolonged saltwater usage. Internally, an oscillating gear system works in tandem with a main gear made of zinc alloy and a pinion gear made of brass. The screw on handle with an EVA knob fits perfectly with the patented Multi Point Anti-Reverse System that limits backward handle movement for better hooksets while reducing shock to the reel. The 9+1 Stainless Steel corrosion resistant ball bearings add an all-round smooth feel to this tough reel.

Features

- Aluminium Body and Rotor
- Aluminium Spool
- 9+1 Stainless Steel Ball Bearing
- Ergonomic EVA Knob
- Dual Drag System
- Multi Point Anti-Reverse System



Model	Gear Ratio	Line Capacity	Bearing	Line/Crank	Weight	Max Drag
014VRTSW2000	5.2:1	PE 1.5/240m, PE 2/200m, PE 2.5/160m	9+1BB	71	275 g	8 kg
014VRTSW3000	5.2:1	PE 2/240m, PE 2.5/200m, PE 3/180m	9+1BB	76	280 g	8 kg
014VRTSW4000	5.2:1	PE 2.5/290m, PE 3/260m, PE 3.5/230m	9+1BB	81	320 g	11 kg
014VRTSW5000	5.2:1	PE 3/290m, PE 3.5/250m, PE 4/230m	9+1BB	87	325 g	11 kg
014VRTSW8000	4.9:1	PE 3/450m, PE 4/370m	9+1BB	91	505 g	20 kg
014VRTSW10000	4.9:1	PE 4/450m, PE 5/330m	9+1BB	98	515 g	20 kg
014VRTSW3000H	6.2:1	PE 2/240m, PE 2.5/200m, PE 3/180m	9+1BB	94	280 g	8 kg
014VRTSW4000H	6.2:1	PE 2.5/290m, PE 3/260m, PE 3.5/230m	9+1BB	100	320 g	11 kg
014VRTSW5000H	6.2:1	PE 3/290m, PE 3.5/250m, PE 4/230m	9+1BB	106	325 g	11 kg



VIRTUOUS CF

The all new Virtuous CF is the ultimate combination of rigid and light game spinning reel. Featuring a dual drag system which applies pressure from both the top and bottom of the spool to provide a powerful yet smooth drag. Constructed with a carbon fibre body and rotor, these light weighted reels are equipped with an aluminum spool that are fitted with tournament grade carbon drag. The 10 + 1 ball bearing system adds an overall smooth touch to the reel.

Features

- Full Carbon Fibre Body And Rotor
- Aluminium Spool
- 10+1 Stainless Steel Ball Bearings
- Tournament Grade Dual Drag System
- Mini Eva Knob For Ultimate Sensitivity

Model	Gear Ratio	Line Capacity	Bearing	Line/Crank	Weight	Max Drag
014VRTCF800	5.2:1	PE 0.8/130m, PE 1/100m	10+1BB	61	155	4 kg
014VRTCF2000	5.2:1	PE 1/200m, PE 1.5/140m	10+1BB	67	175	4 kg
014VRTCF3000	5.2:1	PE 1.5/180m, PE 2/140m	10+1BB	73	215	7 kg

ATC

Surf Casting

DJENTRESS




3 Section Blank



Fuji KW Guide



FUJI DPS Sliding Reel Seat



100% TORAY Carbon Blank

The ATC DJENTRESS was designed for tropical big-game surf targets. Constructed with 100% 'TORAY' Carbon Material, which provides a feather-light weight blank that increases lead acceleration and finishing speed. With its additional 'TORAY' Carbon multi-axis cross wrapping on the blank's exterior, it provides a lightning fast recovery speed that corrects the bending errors made during a cast, making it the perfect rod for beginners and seasoned anglers alike. With the mobility of a 3-piece blank that was designed to have a traditional 2-piece rod feel, it has a heightened sensitivity that improves bite detection especially on smaller sized targets. The DJENTRESS has ample mid to butt section power that has a perfect 'J' curve bend when fully loaded, giving it optimum power when stopping bigger sized targets. The DJENTRESS is equipped with FUJI KW guides and a FUJI DPS adjustable reel seat to facilitate various reel types, positions, and casting styles. With an industry standard surf rod casting ratio, it is suitable for casting bigger baits and heavier leads be it on the sea or on the field.

DJTS138 Spinning & Overhead Hybrid

Designed for mixed ground ROD LENGTH: 13'8" | CAST WEIGHT: 200g MAX | OPTIMUM WEIGHT: 125g | LENGTH: 4.20m

A versatile usage model that could be used in most surf situations. Design in the style of a match rod, it is the workhorse stick that is favourable in any terrain and situation but still has more than enough grunt to stand up against any worthy opponents. Friendlier of the two, it has a slight parabolic feel during casting, making it perfect for distance casting with soft baits.

DJTS142 Spinning & Overhead Hybrid

Designed for rough ground ROD LENGTH: 14'2" | CAST WEIGHT: 225g MAX | OPTIMUM WEIGHT: 175g | LENGTH: 4.32m

The DJENTRESS DJT1423 is the heavier of the two, with a length of 14'2" and max casting ratio of 225g. Designed for stopping bigger targets in their tracks when fishing terrains that are favourable to them but not the angler, be it over kelp beds or on steep rock drop offs. Progressively bends when loaded right, without the hassle of any "lock-ups" in between.

CHASER JIG *

ATC chaser was designed with slim but perfectly balance profile that provide fast sinking abilities. Attributed to the new weight distribution system, the Chaser flutters and darts when jigged triggering violent strikes. The name was inspired to invoke swift pelagics which habit throughout the entire water column.

LPH



LP



LGRN



LBLU



LFO




HFG




HMG



HS



Model	Length	Weight
014-CS150/(colour)	185 mm	150 g
014-CS220/(colour)	225 mm	220 g
014-CS320/(colour)	255 mm	320 g
014-CS420/(colour)	277 mm	420 g
014-CS520/(colour)	293 mm	520 g








Jig

Slow Jig **VENOM***

ATC Venom is design for slow pitch gaming. It's unique profile and highly tuned center balancing increases hit rate tremendously. Jigger are able to work the strike zone with ease and high effectiveness.

Jig



Glow in the dark body attracts fish in the water

Model	Length	Weight
014VN250/(colour)	125 mm	250 g
014VN300/(colour)	125 mm	300 g

CHROMATICUS


Polarized sunglasses have been popular for years with boaters and fishermen who need to reduce reflected glare from the water surrounding them. Besides boaters, outdoor enthusiasts who benefit the most from polarized sunglasses include skiers, bikers, golfers and joggers, all who may enjoy a clearer view along with elimination of glare.

These sunglasses can be used for driving and, in fact, can reduce glare from a long, flat surface such as the hood of the car or the road's surface.

With the Chromaticus polarized sunglasses, the surroundings becomes clearer and the sea appears more transparent!

Features

- Heavy Duty, Wear-Resistant, Lightweight
- Ophthalmic Distortion Free Quality
- Lenses Filter 100% UVA & UVB
- Polarizing Filter Selectively Absorbs 99% Reflected Glare
- Polarizing Provides Better Contrast and more Accurate colour definition
- Hard Surface coated for Excellent Scratch Resistance
- Glare Control Polarized Layer Allows Angler To See Fish Beneath Surface of Water



Seen from behind

Model: 014-CPF2/Y

Reduces the maximum amount of visible light and allows for true color recognition. Good for bright sunny days and heavy glare situations. Best uses include driving, deep or saltwater water fishing and general use.

Lens: Mercury Yellow in Grey



Model: 014-CMF1/N

Provides excellent contrast and improves visual acuity and depth perception. Good for bright sunny and varying conditions. Reduces blue light. Best for driving, golfing and shallow or freshwater fishing.

Lens: Deep Brown



Model: 014CPF3Y



Model: 014CPF3B



Included accessories

- Internal spring hinge
- Strap and microfibre pouch

Accessories

SALT ALLIANCE

HEAVY DUTY SALT WATER SYSTEM

Accessories



SALT ALLIANCE TACKLE CASE *

Model: 014-SAB01

- Hydrophobic effect
- Made from heavy duty Polyethylene
- Internal mesh compartment for small items
- Suitable as check-in luggage
- Dimensions: L 45 x W 31 x H 29 cm (40.45 Litres)



SALT ALLIANCE JIG BAG *

Model: 014-SAB02

- Hydrophobic effect
- Ergonomic carrying handle
- Individual jig compartments
- Velcro covers for keeping jigs in place
- Dimensions: L 36 x W 23 x Thk 8 cm (Closed)



SALT ALLIANCE GAFF *

The ATC Salt Alliance gaff features an aircraft-grade extendable aluminium shaft with a stainless steel hook, making it stronger and lighter for easier and more confident fish landings.

Model: 014-GF01


- Stainless steel hook
- Extended length of 24"
- Aircraft-grade aluminium
- Ergonomic non-slip handle
- Collapsible to 10½"
- 12kg / 26 lbs build-in scale
- Wrist lanyard
- Safety cap



SALT ALLIANCE JIGGING / POPPING GLOVE

- Mesh material: 20% spandex / 80% nylon breathable
- Wear resistant construction
- Anti-slip silicone grip pad
- Vented air hole foregrip with reinforced pads

Model	Size
014GLOVE1M	M
014GLOVE1L	L
014GLOVE1XL	XL



SALT ALLIANCE BRAIDED LINE

ATC Salt Alliance 8X braided lines are made from 100% Honeywell Spectra Fibers. Advanced pre-stretched technology produces maximum sensitivity, line roundness and unsurpassed strength.

Length available: 300m (50lbs – 100lbs),
500m (50lbs – 100lbs)

Color Available: White

Model	PE	Diameter	LBS	Length
014-SA300X1/2	2	0.25 mm	33	300 m
014-SA300X1/3	3	0.28 mm	46	300 m
014-SA300X1/4	4	0.33 mm	58	300 m
014-SA300X1/5	5	0.37 mm	66	300 m
014-SA300X1/6	6	0.41 mm	78	300 m
014-SA300X1/8	8	0.47 mm	105	300 m

Model	PE	Diameter	LBS	Length
014-SA500X1/3	3	0.28 mm	46	500 m
014-SA500X1/4	4	0.33 mm	58	500 m
014-SA500X1/5	5	0.37 mm	66	500 m
014-SA500X1/6	6	0.41 mm	78	500 m
014-SA500X1/8	8	0.47 mm	105	500 m



ATC FC Shock Leader

- 100% Fluorocarbon
- Ultra-low visibility
- High-abrasion resistance

Model	LBS	Length	Dia
014FC50M20	20	50 m	0.45mm
014FC50M30	30	50 m	0.50mm
014FC50M40	40	50 m	0.55mm
014FC50M50	50	50 m	0.65mm
014FC50M60	60	50 m	0.75mm
014FC50M80	80	50 m	0.85mm



ATC Shock Leader

- Super soft copolymer
- High impact resistance
- Superior strength

Model	LBS	Length	Dia
014ST100M20	20	100 m	0.40mm
014ST100M30	30	100 m	0.45mm
014ST100M40	40	100 m	0.55mm
014ST100M50	50	100 m	0.60mm
014ST100M60	60	100 m	0.70mm
014ST100M80	80	100 m	0.80mm
014ST100M100	100	100 m	0.95mm



ASSIST KEVLAR LINE

ATC Assist Kevlar Line is constructed from 100% Aramid fibers and braided into the toughest assist lines.

Reinforced Aramid fibers provide an extremely high Cut & Abrasion resistance characteristic, ideal for constructing jigging assist hook set.

Model	LBS	Length
014-SAK5X1/80LB	80	5 m
014-SAK5X1/100LB	100	5 m
014-SAK5X1/120LB	120	5 m
014-SAK5X1/150LB	150	5 m
014-SAK5X1/200LB	200	5 m
014-SAK5X1/250LB	250	5 m



ASSIST PE LINE

ATC Assist Kevlar Line is constructed from 100% Polyethylene and braided into the toughest assist lines.

Reinforced Polyethylene provide an extremely high Cut & Abrasion resistance characteristic, ideal for constructing jigging assist hook set.

Model	LBS	Length
014SAP8M180Lb	180	8 m
014SAP8M200Lb	200	8 m
014SAP8M250Lb	250	8 m
014SAP8M280Lb	280	8 m



SLOWFALL ASSIST HOOKS

The ATC Slow Fall Assist Hooks feature a pair of short shanked carbon hooks that allow easy hook penetration with the lightest force. The hybrid hook design boasts the best of both a straight and curved point enabling the user to catch, set and hold the fish until it is landed.

SPECIFICATION

- Short Shank Carbon Hooks
- Hybrid Hook Point Design
- Hollow Kevlar Assist Cord

Model	Size
014SASFL	L
014SASF2L	LL
014SASF3L	LLL



SLOWFALL ASSIST HOOKS

ATC Slowfall assist hooks are now available with both tinsel and lumo skirt with tinsel. Featuring a pair of short shanked carbon hooks that allow easy hook penetration with the lightest force. The hybrid hook design boasts the best of both a straight and curved point enabling the user to catch, set and hold the fish until it is landed.

SPECIFICATION

- Short Shank Carbon Hooks
- Hybrid Hook Point Design
- Hollow Kevlar Assist Cord

Model	Size	Model	Size
014SASTL	L	014SASOL	L
014SAST2L	LL	014SASO2L	LL
014SAST3L	LLL	014SASO3L	LLL



SLOWFALL ASSIST HOOKS with TINSEL GREEN OCTOPUS DUAL

ATC Assist Hooks with Tinsel Green Octopus Dual feature a pair of short shanked carbon hooks that allow easy hook penetration with the lightest force. The hybrid hook design boasts the best of both a straight and curved point enabling the user to catch, set and hold the fish until it is landed.

SPECIFICATION

- Short Shank Carbon Hooks
- Hybrid Hook Point Design
- Hollow Kevlar Assist Cord

Model	Size	Pcs
014SASOLG	L	2pcs/pkt
014SASO2LG	LL	2pcs/pkt
014SASO3LG	LLL	2pcs/pkt



SLOWFALL ASSIST HOOKS with GREEN TINSEL DUAL

ATC Assist Hooks with Green Tinsel Dual feature a pair of short shanked carbon hooks that allow easy hook penetration with the lightest force. The hybrid hook design boasts the best of both a straight and curved point enabling the user to catch, set and hold the fish until it is landed.

SPECIFICATION

- Short Shank Carbon Hooks
- Hybrid Hook Point Design
- Hollow Kevlar Assist Cord

Model	Size	Pcs
014SASTLG	L	2pcs/pkt
014SAST2LG	LL	2pcs/pkt
014SAST3LG	LLL	2pcs/pkt





SURECATCH WORLD

Catch the Next Wave

30, Ubi Road 4, Singapore 408615

Fax: (65) 6745 9428

General Enquiries: enquiries@surecatchworld.com

www.atcfishing.com

www.facebook.com/CastCatchConquer



UNIT 4, 30 NOTAR DRIVE,
ORMEAU QLD 4208, AUSTRALIA

Phone: (61) 481 30 88 77

General Enquiries: hello@bazfishingworld.com.au

www.bazfishingworld.com.au